




## Western Long Island Sound Monitoring 2025 Summer Survey Biweekly Summary Surveys #7 & #8 Survey Dates: August 5, 2025 & August 12, 2025



STATION	LATITUDE	LONITUDE
<b>8-403</b>	40.7778	-73.7608
8-405	40.7888	-73.7582
9-409	40.8240	-73.7175
<b>9-412</b>	40.8200	-73.7135
9-413	40.8041	-73.7133
A1	40.8013	-73.8045
<b>A2M</b>	40.7992	-73.7913
A3	40.8433	-73.7590
<b>A4</b>	40.8725	-73.7343
<b>A5</b>	40.8923	-73.6853
<b>B1S</b>	40.9403	-73.6667
B2	40.9343	-73.6520
<b>B3M</b>	40.9187	-73.6403
B4	40.9054	-73.6360
DI1	40.8883	-73.7748
<b>DI2</b>	40.8930	-73.7642
<b>E-12</b>	40.8487	-73.8045
<b>H-A3</b>	40.9207	-73.7187
H-B	40.9080	-73.7090
H-C	40.8590	-73.6717
H-C1	40.8853	-73.6903
<b>H-D</b>	40.8402	-73.6572

Table 1. List of IEC Western Long Island Sound sampling station coordinates in decimal degrees

As a part of the Long Island Sound Partnership’s ongoing water quality monitoring program, IEC started its 35<sup>th</sup> consecutive summer of weekly ambient monitoring surveys in western Long Island Sound and the upper East River on Tuesday, June 24<sup>th</sup>, 2025.

Throughout the summer of 2025, IEC staff will perform 12 weekly surveys at each of the 22 stations in the far western Long Island Sound to assess seasonal hypoxic conditions. Hypoxia occurs when dissolved oxygen (“DO”) concentrations become low. Marine organisms need oxygen to live and low oxygen concentrations can have serious consequences for a marine ecosystem.

The 12 surveys include weekly *in situ* measurements of water temperature, salinity, dissolved oxygen, pH, turbidity, and Secchi disk depth. Measurements at each station are taken half a meter below the surface, at mid-depth, and half a meter above the bottom.


Biweekly surveys will include collection of additional samples for parameters relevant to hypoxia at 11 of the 22 stations (stations listed in **bold** in Table 1). These samples will be analyzed for nutrients, Biochemical Oxygen Demand (BOD), Total Suspended Solids (TSS), and chlorophyll *a*, in addition to the suite of *in situ* parameters listed above.

**Interstate Environmental  
Commission**  
[www.iec-nynjct.org](http://www.iec-nynjct.org)  
 C/O BioBAT  
 Brooklyn Army Terminal,  
 Building A  
 140 58th Street  
 Brooklyn, NY 11220


Nutrient parameters that will be analyzed include Ammonia, Nitrate+Nitrite, Particulate Nitrogen, Orthophosphate/DIP, Total Dissolved Phosphorus, Particulate Phosphorus, Dissolved Organic Carbon, Particulate Carbon, Dissolved Silica, and Biogenic Silica.

In October 2022, IEC also began collecting dissolved inorganic carbon (DIC) and Total Alkalinity samples to monitor coastal acidification. In aquatic ecosystems, **DIC** acts as a source of carbon for photosynthesis and has a function in controlling the pH. Increased atmospheric CO<sub>2</sub> gas may lead to coastal acidification, which can pose a significant threat to marine life, including calcifying organisms like corals and shellfish that make hard shells and skeletons by combining calcium and carbonate from seawater. **Total Alkalinity** is the capacity of water to resist (buffer against) a change in pH when acidity is added. As CO<sub>2</sub> from the atmosphere and from decay of algal blooms increases in LIS, Total Alkalinity guards against pH changes and coastal acidification.

<b>Proposed 2025 Summer Schedule</b>		
<b>Date</b>	<b>Survey Number</b>	<b>Parameters</b>
06/24/2025	1	<i>In situ</i> , nutrients, chlorophyll a, BOD, TSS, Total Alkalinity
07/01/2025	2	<i>In situ</i> parameters only
07/08/2025	3	<i>In situ</i> , nutrients, chlorophyll a, BOD, TSS, Total Alkalinity
07/18/2025	4	<i>In situ</i> parameters only
07/24/2025	5	<i>In situ</i> , nutrients, chlorophyll a, BOD, TSS, Total Alkalinity
07/29/2025	6	<i>In situ</i> parameters only
08/05/2025	7	<i>In situ</i> , nutrients, chlorophyll a, BOD, TSS, Total Alkalinity
08/12/2025	8	<i>In situ</i> parameters only
08/19/2025	9	<i>In situ</i> , nutrients, chlorophyll a, BOD, TSS, Total Alkalinity
08/26/2025	10	<i>In situ</i> parameters only
09/03/2025	11	<i>In situ</i> , nutrients, chlorophyll a, BOD, TSS, Total Alkalinity
09/09/2025	12	<i>In situ</i> parameters only



First view of the sunrise in Manhasset Bay during Survey #7



Pod of dolphins outside of Little Neck Bay during Survey #8

## SURVEY #7 AT A GLANCE 08/05/2025

<b>Hypoxia (DO &lt; 3.00 mg/L)</b>	<b>No stations exhibited hypoxia at surface depth</b>  <b>8 stations exhibited hypoxia at bottom depth:</b> Manhasset Bay – 9-412 Westchester Shoreline – H-A3, H-B Mid-LIS Waters – A3, A4, B1S, B2, H-C1
<b>Lowest surface DO concentration</b>	3.85 mg/L (E-12 in Eastchester Bay)
<b>Lowest bottom DO concentration</b>	2.50 mg/L (Station A3 in Mid-LIS Waters)
<b>Average surface DO concentration</b>	7.38 mg/L
<b>Average bottom DO concentration</b>	3.51 mg/L
<b>Average surface water temperature</b>	23.77 °C
<b>Average bottom water temperature</b>	22.27 °C
<b>Average water column ΔT (Surface-Bottom)</b>	1.50 °C
<b>Average surface salinity</b>	25.76 ppt
<b>Average bottom salinity</b>	26.22 ppt
<b>Lowest surface pH</b>	7.29 S.U. (Station A1 in the Upper East River)
<b>Lowest bottom pH</b>	7.22 S.U. (Station 9-412 in Manhasset Bay)
<b>Average surface pH</b>	7.76 S.U.
<b>Average bottom pH</b>	7.34 S.U.

### Survey #7 Narrative Summary

This survey began at 06:34 and ended at 11:35 with the most recent high tide at 09:31 and 09:47 at New Rochelle, NY and Kings Point, NY, respectively. The weather conditions were mostly cloudy, with cloud coverage varying between at 0% and 100% throughout the survey. Air temperatures increased from 72°F to 79°F. The National Weather Service observations from LaGuardia Airport reported a total of 0.00” of precipitation during the 24- and 48-hour periods prior to the start of the survey. Secchi disk measurements ranged from 0.25 meters to 2.0 meters.

**No stations exhibited hypoxia at surface depth and eight stations exhibited hypoxia at bottom depths.** In comparison, there were 2 stations that exhibited hypoxia at surface depths and 18 stations that exhibited hypoxia at bottom depths during Survey #7 in 2024. **Average surface and bottom DO concentrations were higher during this survey compared to Survey #7 in 2024.** Average Surface DO: 7.38 mg/L in 2025 vs 5.04 mg/L in 2024. Average Bottom DO: 3.51 mg/L in 2025 vs 2.37 mg/L in 2024.


**The average surface water temperature was lower during this survey compared for Survey #7 in 2024, while the average bottom water temperature was higher.** Average Surface Temperature: 23.77 °C in 2025 vs 23.97

°C in 2024. Average Bottom Temperature: 22.27 °C in 2025 vs 21.84 °C in 2024.


Average surface salinity was **higher** during this survey compared to Survey #7 in 2024, while average bottom salinity was **lower**. Average Surface Salinity: 25.76 ppt in 2025 vs 25.59 ppt in 2024. Average Bottom Salinity: 26.22 ppt in 2025 vs 26.33 ppt in 2024.

Average surface and bottom pH were **higher** during this survey compared to Survey #7 in 2024. Average Surface pH: 7.76 in 2025 vs 7.42 in 2024. Average Bottom pH: 7.34 in 2025 vs 7.20 in 2024.

**WLIS Surface Dissolved Oxygen, Survey #7 08/05/25**





**WLIS Bottom Dissolved Oxygen, Survey #7 08/05/25**



The Long Island Sound Partnership defines hypoxia as DO values which are below a concentration of 3.00 mg/L.

# Interstate Environmental Commission Ambient Water Quality Monitoring of the Western Long Island Sound

## Weekly Survey #7: August 5, 2025



IDW Interpolation, Power 10

Map by: Samantha Wilder

Map made: 08/08/2025

## SURVEY #8 AT A GLANCE 08/12/2025

<b>Hypoxia (DO &lt; 3.00 mg/L)</b>	<b>No stations exhibited hypoxia at surface depths</b>  <b>3 stations exhibited hypoxia at bottom depth:</b> Westchester Shoreline – H-B Mid-LIS Waters – A4, B3M
<b>Lowest surface DO concentration</b>	3.41 mg/L (Station 9-413 in Manhasset Bay)
<b>Lowest bottom DO concentration</b>	2.43 mg/L (Station B3M in Mid-LIS Waters)
<b>Average surface DO concentration</b>	5.84 mg/L
<b>Average bottom DO concentration</b>	4.32 mg/L
<b>Average surface water temperature</b>	23.92 °C
<b>Average bottom water temperature</b>	23.15 °C
<b>Average water column ΔT (Surface-Bottom)</b>	0.77 °C
<b>Average surface salinity</b>	25.78 ppt
<b>Average bottom salinity</b>	26.22 ppt
<b>Lowest surface pH</b>	6.90 S.U. (Station 9-413 in Manhasset Bay)
<b>Lowest bottom pH</b>	6.90 S.U. (Station 9-413 in Manhasset Bay)
<b>Average surface pH</b>	7.50 S.U.
<b>Average bottom pH</b>	7.36 S.U.

### Survey #8 Narrative Summary



The survey began at 06:04 and ended at 09:45, with the most recent low tide at 07:43 and 08:01 at New Rochelle, NY and Kings Point, NY, respectively. The weather conditions were mostly sunny with 0% cloud coverage over the study area and air temperatures increased from 73°F to 81°F throughout the survey. The weather station at LaGuardia Airport reported a total of 0.00" of precipitation during the 24- and 48-hour period prior to the start of the survey. Secchi disk measurements ranged from 0.5 meters to 1.5 meters.

**No stations exhibited hypoxia at surface depths and three stations were hypoxic at bottom depths.** During Survey #8 in 2024, there were zero stations at surface depths and two stations at bottom depths that exhibited hypoxia. **Average surface and bottom DO were *lower* during this survey compared to Survey #8 in 2024.** Average Surface DO: 5.84 mg/L in 2025 vs 6.59 mg/L in 2024. Average Bottom DO: 4.32 mg/L in 2025 vs 4.67 mg/L in 2024.

**The average surface and bottom water temperature were *higher* during this survey compared to Survey #8 in 2024.** Average Surface Temperature: 23.92 °C in 2025 vs 23.26 °C in 2024. Bottom: 23.15 °C in 2025 vs 22.63 °C in 2024.

The average surface and bottom salinity were *higher* during this survey compared to Survey #8 in 2024. Average Surface Salinity: 25.78 ppt in 2025 vs 25.04 ppt in 2024. Average Bottom Salinity: 26.22 ppt in 2025 vs 25.69 ppt in 2024.



Average surface and bottom pH were *lower* during this survey compared to Survey #8 in 2024. Average Surface pH: 7.50 in 2025 vs 7.56 in 2024. Average Bottom pH: 7.36 in 2025 vs 7.40 in 2024.



The Long Island Sound Partnership defines hypoxia as DO values which are below a concentration of 3.00 mg/L.

# Interstate Environmental Commission Ambient Water Quality Monitoring of the Western Long Island Sound

## Weekly Survey #8: August 12, 2025



IDW Interpolation, Power 10

Map by: Samantha Wilder

Map made: 08/21/2025